

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/633444	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:13
S2	1	10/633440	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:28
S3	6	"7035212"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 16:28
S4	2	("7035212").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 16:28
S5	1528	(370/351).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 13:38
S6	197	S5 ((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:57
S7	72	S6 (router gateway)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 13:39
S8	18	S7 (ICMP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 13:33

EAST Search History

S9	1662	370/400.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 13:54
S10	204	S9 ((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 13:54
S11	9	S10 (router ICMP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 13:55
S12	5603	370/401.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:53
S13	589	S12 ((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:53
S14	82	S13 (router ICMP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:53
S15	4	S14 ((pseudo-random) or (pseudo adj random) or pseudo)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:58
S16	593	370/402.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:54

EAST Search History

S17	41	S16 ((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:03
S18	3	S17 (router ICMP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:54
S19	302	370/403.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:55
S20	8	S19 ((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:55
S21	0	S20 (router ICMP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:55
S22	245	370/404.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:55
S23	27	S22 ((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:55
S24	7	S23 (router ICMP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:55

EAST Search History

S25	106302	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:56
S26	7	(US-20050025051-\$ or US-20050025179-\$ or US-20020196802-\$).did. or (US-7102996-\$ or US-7088718-\$ or US-6981055-\$ or US-6754220-\$). did.	US-PGPUB; USPAT	OR	ON	2007/04/04 14:56
S27	1	S26 ((pseudo-random) or (pseudo adj random) or pseudo)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:56
S29	53026	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:57
S30	153351	S25 or S29	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:00
S31	2457	S30 ((load near2 shar\$3) or (load near2 balanc\$3) and router and ICMP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:57
S32	289	S31 ((pseudo-random) or (pseudo adj random) or pseudo)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 15:37
S33	73	S32 ((round adj robin) or (round-robin) or (round near2 robin))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 14:59

EAST Search History

S34	52	S32 ((determin\$3 or select\$3) near2 (router or gateway))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 16:46
S35	36	S34 icmp	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/04 16:46
S36	9	(US-20050025051-\$ or US-20050025179-\$ or US-20020196802-\$ or US-20030108052-\$).did. or (US-7102996-\$ or US-7088718-\$ or US-6981055-\$ or US-6754220-\$ or US-7149217-\$).did.	US-PGPUB; USPAT	OR	ON	2007/04/04 17:01
S37	8	S36 ((load near2 shar\$3) or (load near2 balanc\$3)) and ICMP	US-PGPUB; USPAT	AND	ON	2007/04/04 17:02
S38	106495	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:00
S39	53125	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:00
S40	153639	S38 or S39	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:01
S41	2	S40 (router same gateway) near6 algorithm and icmp	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:03
S42	134	S40 ((router) near6 algorithm) and icmp	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:04

EAST Search History

S43	593	370/402.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:03
S44	41	S43 ((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:03
S45	51928	((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 08:03
S46	68	S45 ((router) near6 algorithm) and icmp	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 09:40
S47	51928	((load near2 shar\$3) or (load near2 balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 09:40
S48	68	S47 ((router) near6 algorithm) and icmp	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:07
S49	31	S48 (ICMP same (set\$4 or reset\$4 or updat\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 10:38
S50	31	S48 (ICMP same (set\$4 or reset\$4 or updat\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 10:47

EAST Search History

S51	1	10/633444	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 10:47
S52	17	S48 ((pseudo-random) or (pseudo adj random))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 10:55
S53	29	S48 (hash)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 11:14
S54	68	S48 (loads or (load\$3 adj level\$1))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 12:25
S55	33	S48 (loads or (load\$3 adj level\$1))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 11:58
S56	20	S55 (hash)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 11:51
S57	40	S48 (loads or (load\$3 adj level\$1) or weight\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 11:59
S58	0	S48 (loads or (load\$3 adj level\$1) or weight\$3) same2 hash	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 11:58

EAST Search History

S59	21	S48 (loads or (load\$3 adj level\$1) or weight\$3) and hash	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 11:59
S60	0	S48 (loads or (load\$3 adj level\$1)) same2 ((round-robin) or (round adj robin))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 12:26
S61	0	(loads or (load\$3 adj level\$1)) same2 ((round-robin) or (round adj robin))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 12:26
S62	13901	((round-robin) or (round adj robin))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 12:27
S63	0	((round-robin) or (round adj robin)) same3 (weight\$3 or loads or (load\$3 adj levels))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 12:27
S64	0	((round-robin) or (round adj robin)) same5 (weight\$3 or loads or (load\$3 adj levels))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 12:28
S65	6414	((round-robin) or (round adj robin)) and (weight\$3 or loads or (load\$3 adj levels))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 12:28
S66	0	((round-robin) or (round adj robin)) same10(weight\$3 or loads or (load\$3 adj levels))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 12:28

EAST Search History

S67	0	((round-robin) or (round adj robin)) same10 (weight\$3 or loads or (load\$3 adj levels))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/05 12:28
S68	6	S47 ((each or every or all) near3 (router) near6 algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 12:43
S69	273	S47 ((router) near6 algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 12:45
S70	20	S48 (source adj IP) same (destination adj IP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:06
S71	0	S48 ((source near3 IP) same (destination near3IP) same hash)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:06
S72	0	S48 ((source near3 IP) same3 (destination near3IP) same3 hash)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:07
S73	0	S48 ((source near3 IP) same3 (destination near3 IP) same3 hash)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:07
S74	0	S48 ((source same destination) same3 hash)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:08

EAST Search History

S75	273	S47 ((router) near6 algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:07
S76	0	S75 ((source same destination) same3 hash)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:09
S77	0	((source same destination) same3 hash)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:08
S78	19	S75 ((source same hash) and (destination same hash))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/05 14:10
S79	17	(US-20050025051-\$ or US-20030108052-\$ or US-20030206528-\$ or US-20020196802-\$ or US-20030158965-\$ or US-20050025179-\$).did. or (US-7099341-\$ or US-7003581-\$ or US-7102996-\$ or US-7088718-\$ or US-6981055-\$ or US-6754220-\$ or US-7149217-\$ or US-6493341-\$ or US-6295276-\$ or US-6470389-\$ or US-6778495-\$).did.	US-PGPUB; USPAT	OR	ON	2007/04/05 14:27
S80	10	S79 (source near2 IP)	US-PGPUB; USPAT	AND	ON	2007/04/05 14:28
S81	6	S79 (source near2 IP) same (destination near2 IP)	US-PGPUB; USPAT	AND	ON	2007/04/05 14:28
S82	1	10/633444	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:19

EAST Search History

S83	7308	(algorithm or technique) with (router or gateway or (gatekeeper) near5 (select\$3 or identify\$3 or indicat\$3 or calculat\$3 or detect\$3 or choos\$3 or determine\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:05
S84	111027	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:05
S85	3140	S83 S84	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/07 16:05
S86	61862	(load near3 (shar\$3 or balanc\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/07 16:06
S87	534	S85 S86	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/07 16:06
S88	7193	370/229-237.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 16:20
S89	86	S83 S86 S88	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/07 16:20